

Lichens of the Akşehir District (Konya)

Feray KARABULUT

Anadolu Üniversitesi, Fen Bilimleri Enstitüsü, Eskişehir-TURKEY

A. Özdemir TÜRK

Anadolu Üniversitesi, Fen Fakültesi, Biyoloji Bölümü, Eskişehir-TURKEY

Received: 20.01.1997

Accepted: 17.10.1997

Abstract: Eighty-nine lichen species belonging to 33 genera from Akşehir District of Konya were determined. *Staurothele frustulenta* Vainio is a new record for the lichen flora of Turkey.

Key Words: lichen, flora, Turkey

Akşehir İlçesi (Konya) Likenleri

Özet: Konya ili, Akşehir ilçesinde yapılan çalışmada 33 cinse ait 89 lichen türü belirlenmiştir. Bu türlerden *Staurothele frustulenta* Vainio Türkiye Liken Florası için yeni kayittır.

Anahtar Sözcükler: lichen, flora, Türkiye

Introduction

There are three papers in the literature which briefly mention the lichens of Akşehir region along with the lichens of the various regions of Turkey (1-3). Referring to the literature, Verseghy (4) gives some of these records of the Akşehir region in her paper. These papers give some records of the lichen floras of Sultan and Saray Mountains.

In this study, recently collected lichens from the Akşehir district are described with their localities and substrates. Therefore, this study is a contribution to the Lichen Flora of Turkey.

Description of the Study Area

The Akşehir district is located at the junction of the borders of the Central Anatolian, Mediterranean and Aegean geographical regions of Turkey (Figure 1). Its area measures 1442 square kilometers. In the western part of the district are the feet of the Sultan Mountains and in the northern part is the lake of Akşehir. The rest of the district is composed of plains.

According to Akman (5), Akşehir has a semi-arid Mediterranean climate with rain mainly in spring and winter.

The dominant rocks on the feet of the Sultan Mountains are calcareous. The plains are mainly covered with agricultural fields. In these fields, fruit trees and rocks are suitable substrata for lichens to grow. In the mountainous part, lichens grow on pine and oak trees.

Material and Method

The lichen samples were collected from the study area during several field trips in 1995 and 1996. The samples were identified with aid of flora books (6-9) and identification keys (10, 11). The specimen are kept at the Herbarium of Faculty of Sciences, Anadolu University, Eskişehir.

Results

The system of orders and families used here is the system of Purvis et al. (7).

In the text, the latitude and longitude of any locality along with its locality number are given only when mentioned the first time. New records for the study area are indicated with an asterisk.




Figure 1. Map of the study area (Numbers on map indicate the locality number in the text.)

- | | | |
|--|--|--|
| Ascomycotina | place, 1040 m., 25.2.1996, 38°20'N
31°26'E (4). Saxicolous. | * Lecania fuscella (Schaer.) Körb.
Akşehir, north of Akşehir stream,
Körceğiz place, 1300m., 19.7.1995,
38°27'N 31°19'E (6). Atakent village,
1100m., 29.10.1995, 38°23'N 31°23'E
(8). Doğrugöz village, 1020 m.,
22.2.1996. Corticolous. |
| Order. Lecanorales | | |
| Family Acarosporaceae | | |
| *Sarcogyne regularis Körb. | | |
| Ayrıtepe village, 1050m, 23.2.1996,
38°40'N 31°39'E (11); Savaş village, Bağlar | | |
| | Family Bacidiaceae | |
| | * Lecania cyrtella (Ach.) Th.Fr. | |
| | Doğrugöz village, 1020m., 22.2.1996,
38°20'N 31°32'E (1). Corticolous | |

- **Toninia sedifolia* (Scop.) Timdal place, 1080m., 25.2.1996. Sasicolous.
- Akşehir Nasreddin Cemetery, 1050 m., 15.7.1995, 38°20'N 31°26'E (2), terricolous; around Ayrıtepe village, 1030m., 23.2.1996, muscicolous.
- Family Candelariaceae**
- **Candelariella aurella* (Hoffm.) Zahlbr. Akşehir, North of Akşehir stream, Körceğiz place, 1300m., 19.7.1995; Akşehir Nasreddin Cemetery, 1050m., 15.7.1995; Savaş village cemetery, 1100m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995, 38°24'N 31°21'E (9); Doğrugöz village, 1020m., 22.2.1996; Ayrıtepe village, 1030m., 23.2.1996. On barks and rocks.
- Candelariella vitellina* (Hoffm.) Müll.Arg. Akşehir Nasreddin Cemetery, 1050m., 15.7.1995; Savaş village cemetery, 1100m., 17.7.1995, 38°20'N 31°26'E (4); Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; around Ayrıtepe village, 1030m., 23.2.1996. Sasicolous.
- **Candelariella xanthostigma* (Ach.) Lettau Southeast of Engili village, Kızıldere place, 1200m., 17.7.1995, 38°18'N 31°27'E (5); Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Savaş village, Bağlar place, 1040m., 25.2.1996. Corticolous.
- Family Collemataceae**
- **Leptogium plicatile* (Ach.) Leighton Ayrıtepe village, 1030m., 23.2.1996. Sasicolous.
- Family Hymeneliaceae**
- **Aspicilia caesiocinerea* (Malbr.) Arnold Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Sasicolous.
- Aspicilia calcarea* (L.) Mudd Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Ayrıtepe village, 1030m., 23.2.1996; Savaş village, Bağlar
- Aspicilia contorta* (Hoffm.) Kremp. Mevlütlü village, Hayrat place, 1100m., 20.6.1995, 38°37'N 31°38'E (10); Savaş village, Bağlar place, 1080m., 25.2.1996, Savaş village cemetery, 1100m., 17.7.1995; around Ayrıtepe village, 1050m., 23.2.1996. Sasicolous.
- Lobothallia radiosua* (Hoffm.) Hafellner Savaş village cemetery, 1100m., 17.7.1995; Akşehir, North of Akşehir stream, Körceğiz place, 1250m., 19.7.1995, Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; around Ayrıtepe village, 1050m., 23.2.1996. Sasicolous.
- **Megaspora verrucosa* (Ach.) Hafellner & Wirth Akşehir Nasreddin cemetery, 1050m., 15.7.1995, terricolous; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Corticolous.
- Family Lecanoraceae**
- **Lecanora albella* (Pers.) Ach. Southeast of Engili village, Kızıldere place, 1300m., 17.7.1995. Saicolous.
- **Lecanora argentata* (Ach.) Malme Around Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- **Lecanora campestris* (Schaer.) Hue Savaş village, Armutlu place, 1300m., 3.9.1995, 38°20'N 31°26'E (7); Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Sasicolous.
- **Lecanora carpinea* (L.) Vainio Southeast of Engili village, Kızıldere place, 1250m., 17.7.1995; Savaş village, Armutlu place, 1300m., 3.9.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Corticolous.
- **Lecanora cenisia* Ach. Southeast of Engili village, Kızıldere place, 1250m., 17.7.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- **Lecanora chlorotera* Nyl. Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engili village, Kızıldere place, 1250m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- **Lecanora crenulata* (Dicks.) Hook Savaş village cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., 3.9.1995, Bağlar place, 1080m., 25.2.1996; around Ayrıtepe village, 1050m., 23.2.1996. Sasicolous.
- Lecanora dispersa* (Pers.) Sommerf. Akşehir Nasreddin cemetery, 1050m., 15.7.1995; Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Ayrıtepe village, 1030m., 23.2.1996; Savaş village, Bağlar place, 1080m., 25.2.1996, Doğrugöz village, 1020m., 22.2.1996. Saicolous.
- **Lecanora hagenii* (Ach.) Ach. Savaş village cemetery, 1100m., 17.7.1995; Southeast of Engili village, Kızıldere place, 1300m., 17.7.1995; Atakent village, 1100m., 29.10.1995, Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- Lecanora muralis* (Schreber) Rabenh. Akşehir Nasreddin cemetery, 1050m., 15.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Savaş village cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., 3.9.1995; Mevlütlü village, Hayrat place, 1100m., 20.6.1995; Ayrıtepe village, 1050m., 23.2.1996. Sasicolous.
- **Lecanora pulicaris* (Pers.) Ach. Southeast of Engili village, Kızıldere place, 1300m., 17.7.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- **Lecanora umbrina* (Ach.) A. Massal. Doğrugöz village, 1020m., 22.2.1996. Corticolous.

- **Lecidella elaochroma* (Ach.) Hazsl. place, 1250m., 17.7.1995. Corticolous. Leighton) Szatala
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996; Savaş village, Armutlu place, 1300m., 3.9.1995; Atakent village, 1100m., 29.10.1995. Corticolous. Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.
- **Lecidella stigmataea* (Ach.) Hertel & Leuckert
Mevlüdü village, Hayrat place, 1100m., 20.6.1995; Savaş village cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., Saicolous.
- Tephromela atra* (Huds.) Hafellner
Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saxicolous.
- **Scoliciosporum umbrinum* (Ach.) Arnold
Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- Family Parmeliaceae**
- **E Vernia prunastri* (L.) Ach.
Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995; Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- **Hypogymnia tubulosa* (Schaer.) Bitt.
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995. Corticolous.
- **Melanelia exasperata* (De Not.) Essl.
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995. Corticolous.
- **Melanelia exasperatula* (Nyl.) Essl.
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995. Corticolous.
- **Melanelia glabratula* (Lamy) Essl.
Southeast of Engilli village, Kızıldere
- **Parmelia sulcata* Taylor
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995. Corticolous.
- **Parmelia quercina* (Willd.) Vainio
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995. Corticolous.
- **Parmelia tiliacea* (Hoffm.) Hale
Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995
- **Pleurosticta acetabulum* (Neck.) Elix & Lumbsch
Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995. Corticolous.
- **Pseudevernia furfuracea* (L.) Zopf
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995. Corticolous.
- **Usnea florida* (L.) Wigg.
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995. Corticolous.
- **Xanthoparmelia somloensis* (Gyelnik) Hale
Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saicolous.
- Family Physciaceae**
- **Anaptychia ciliaris* (L.) Körb.
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995; Savaş village, Armutlu place, 1300m., 3.9.1995. Corticolous.
- **Diplotomma albovatrum* (Hoffm.) Flotow
Savaş village cemetery, 1100m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Corticolous.
- **Diplotomma chlorophaeum* (Hepp ex Leighton) Szatala
Savaş village cemetery, 1100m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Corticolous.
- **Diplotomma epipolium* (Ach.) Arnold
Savaş village, Armutlu place, 1300m., 3.9.1995; Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.
- **Phaeophyscia orbicularis* (Neck.) Moberg
Akşehir, north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Nearby Akşehir municipal water depot, 1150m., 16.7.1995, 38°21'N 31°24'E (3); Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995; Atakent village, 1100m., 29.10.1995; Savaş village, cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., 3.9.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.
- **Physcia adscendens* (Fr.) H. Olivier
Around Akşehir municipal water depot, 1200m., 16.7.1995; Savaş village cemetery, 1100m., 17.7.1995; Atakent village, 1100m., 29.10.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996; Ayrıtepe village, 1050m., 23.2.1996. Corticolous.
- **Physcia aipolia* (Humb.) Hampe
Around Akşehir municipal water depot, 1200m., 16.7.1995; Savaş village cemetery, 1100m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Corticolous.
- **Physcia dimidiatia* (Arnold) Nyl.
Around Akşehir municipal water depot, 1200m., 16.7.1995. Corticolous.
- **Physcia dubia* (Hoffm.) Lettau
Savaş village cemetery, 1100m., 17.7.1995, corticolous; Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.
- **Physcia semipinnata* (J.F.Gmelin) Moberg

Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saxicolous.

**Physcia stellaris* (L.) Nyl.

Akşehir Nasreddin Cemetry, 1050m., 15.7.1995; north of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Savaş village cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., 3.9.1995; Atakent village, 1100m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.

**Physcia tenella* (Scop.) DC.

North of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.

**Physconia distorta* (With.) J.R.Laundon

North of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Corticolous.

**Physconia enteroxantha* (Nyl.) Poelt

Savaş village cemetery, 1100m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995; Atakent village, 1100m., 29.10.1995. Corticolous.

**Physconia grisea* (Lam.) Poelt

North of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Savaş village, Armutlu place, 1300m., 3.9.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.

**Physconia perisidiosa* (Erichsen) Moberg

North of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995. Corticolous.

Rinodina bischoffii (Hepp) A. Massal.

Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saxicolous.

Rinodina calcarea (Arnold) Arnold

Savaş village, Armutlu place, 1300m., 3.9.1995; Ayritepe village, 1050m., 23.2.1996. Saxicolous.

**Rinodina exigua* (Ach.) S. Gray

Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996. Corticolous.

**Rinodina gennarii* Bagl.

Ayritepe village, 1050m., 23.2.1996. Saxicolous.

**Rinodina pyrina* (Ach.) Arnold

Savaş village cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., 3.9.1995; Doğrugöz village, 1020m., 22.2.1996; Atakent village, 1100m., 29.10.1995. Corticolous.

Family Ramalinaceae

**Ramalina farinacea* (L.) Ach.

North of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995. Corticolous.

Family Rhizocarpaceae

Rhizocarpon geminatum Körb.

Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saxicolous.

Rhizocarpon geographicum (L.) DC.

Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saxicolous.

Order Teloschistales

Family Teloschistaceae

**Caloplaca alociza* (A. Massal.) Migula

Ayritepe village, 1050m., 23.2.1996. Saxicolous.

Caloplaca arenaria (Pers.) Müll. Arg.

Savaş village cemetery, 1100m., 17.7.1995. Saxicolous.

**Caloplaca biatorina* (A. Massal.) J. Steiner

Savaş village, Bağlar place, 1080m., 25.2.1996. Saxicolous.

**Caloplaca boulyi* (Zahlbr.) M. Steiner et Poelt

Doğrugöz village, 1020m., 22.2.1996. Corticolous.

**Caloplaca cerina* (Hedwig) Th. Fr.

Savaş village cemetery, 1100m., 17.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Doğrugöz village, 1020m., 22.2.1996; Southeast of Engilli village, Kızıldere place, 1250m., 17.7.1995. Corticolous.

**Caloplaca cerinella* (Nyl.) Flagey

Doğrugöz village, 1020m., 22.2.1996. Lignicolous.

**Caloplaca chalybaea* (Fr.) Müll. Arg.

Ayritepe village, 1050m., 23.2.1996. Saxicolous.

**Caloplaca cirrochroa* (Ach.) Th. Fr.

Ayritepe village, 1050m., 23.2.1996. Muscicolous.

Caloplaca decipiens (Arnold) Blomb. et Forssell

North of Akşehir stream, Körceğiz place, 1200m., 19.7.1995; Ayritepe village, 1050m., 23.2.1996; Savaş village, Bağlar place, 1080m., 25.2.1996; Doğrugöz village, 1020m., 22.2.1996. Saxicolous.

**Caloplaca flavesrens* (Huds.) J.R. Laundon

Savaş village cemetery, 1100m., 17.7.1995. Saxicolous.

**Caloplaca flavovirescens* (Wulfen) Dalla Torre et Sarnth.

Saray Mountain, Kirazlıpınar place, 1450 m., 29.10.1995; Ayritepe village, 1050m., 23.2.1996. Saxicolous.

**Caloplaca holocarpa* (Ach.) Wade

Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995; Savaş village cemetery, 1100m., 17.7.1995; Doğrugöz village, 1020m., 22.2.1996; Ayritepe village, 1050m., 23.2.1996. Saxicolous.

**Caloplaca lactea* (A. Massal.) Zahlbr.

Savaş village, Bağlar place, 1080m.,

25.2.1996; Doğrugöz village, 1020m..	*Xanthoria candelaria (L.) Th. Fr.	Order Verrucariales
22.2.1996; Ayrıtepe village, 1050m..	Around Akşehir municipal water depot, 1200m., 16.7.1995; Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995;	Family Verrucariaceae
23.2.1996. Saxicolous.	Savaş village cemetery, 1100m., 17.7.1995, Armutlu place, 1300m., 3.9.1995; Atakent village, 1100m., 29.10.1995, Doğrugöz village, 1020m., 22.2.1996. Corticolous.	*Staurothele frustulenta Vainio
*Caloplaca teicholyta (Ach.) J. Steiner	Savaş village cemetery, 1100m., 17.7.1995; on tile.	Savaş village cemetery, 1100m., 17.7.1995; on tile.
Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.		
Caloplaca variabilis (Pers.) Müll. Arg.		*Verrucaria calciseda DC.
Mevlütlü village, Hayrat place, 1100m..		Ayrıtepe village, 1050m., 23.2.1996.
20.6.1995; Savaş village, Bağlar place, 1080m., 25.2.1996; Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.		Saxicolous.
*Caloplaca xantholyta (Nyl.) Jatta		*Verrucaria muralis Ach.
Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.		Doğrugöz village, 1020m., 22.2.1996;
*Xanthoria calcicola Oxner		Ayrıtepe village, 1050m., 23.2.1996.
Saray Mountain, Kirazlıpınar place, 1450m., 29.10.1995. Saxicolous.		Saxicolous.
		*Verrucaria nigrescens Pers.
		Savaş village, Bağlar place, 1080m..
		25.2.1996; Ayrıtepe village, 1050m., 23.2.1996. Saxicolous.

Discussion

All of the lichen species found in the Akşehir district belong to Ascomycotina (8). According to the literature (12-13), *Staurothele frustulenta* is a new record for the lichen flora of Turkey.

In the previous papers (1-4), the localities of the species are given as "Serai Dagh bei Konia" (altitude) and "Sultan Dagh prope Akşehir" (altitude). Because of these vague locality definitions, the comparison between the previous result and those of this study may be in some doubt.

Due to the dominancy of the calcareous rocks in the study area, as expected, calcicole lichen species determined are *Aspicilia calcarea*, *A. contorta*,

Lobothallia radoisa, *Lecanora dispersa*, *Diplotomma alboatrum*, *D. epipolium*, *Rinodina bischoffii*, *R. calcarea*, *R. gennarii*, *Caloplaca alociza*, *C. lactea*, *C. variabilis*, *Verrucaria calciseda*. In addition to these calcicole lichens, some silicicole species such as *Rhizocarpon geographicum*, *R. geminatum*, *Xanthoparmelia somloensis* and *Physcia dubia* were determined on siliceous rocks in the study area.

Fourty-four of the lichen species growing in the study area are corticolous. *Caloplaca*, *Xanthoria* and *Physcia* species, which are nitrophylics, grow on the barks of trees and on rocks around agricultural areas where nitrogen-containing fertilizers are used heavily. Three species out of 88 grow on more than one substrata.

3. Steiner, J., Aufzählung der von J. Bornmüller im Oriente gesammelten Flechten, Annal. Naturhist. Mus. Wien 30, 24-39 (1916).
4. Verseghy, K.P., Beiträge zur Kenntnis der türkischen Flechtenflora, Studia Botanica Hungarica, VI, 53-65 (1982).
5. Akman, Y., İklim ve Biyoiklim, Palme Yay. Ankara (1990).
6. Wirth, V., Flechtenflora, Ulmer, Stuttgart (1980).
7. Wirth, V., Die Flechten Baden-Württembergs Teil 2, Ulmer, Stuttgart (1995).

References

1. Steiner, J., Lichenes, Ergebnisse einer naturwissenschaftlichen Reise zum Erdschias Dagh (Kleinasien) von Dr. Arnold Penter und Dr. Emerich Zederbauer im Jahre 1902, Ann. Naturhist. Mus. Wien 20(4), 369-384 (1905).
2. Steiner, J., Lichenes, Ergebnisse einer im Juni des Jahres 1899 nach dem Sultan Dagh in Phrygien unternommenen botanischen Reise nebst einigen anderen Beiträgen zur Kenntnis der Flora dieser Landschaft Inner-Anatoliens, J. Bornmüller, Beih. Bot. Centralb. 24, 500-501 (1909).

8. Purvis, O.W., Coppins, B.J., Hawksworth, D.L., James, P.W., Moore, D.M., *The Lichen Flora of Great Britain and Ireland*, London (1992).
9. Poelt, J., *Bestimmungsschlüssel Europäischer Flechten*, Vaduz (1974).
10. Mayrhofer, H., Poelt, J., *Die saxicolen Arten der Flechtengattung Rinodina in Europa*, *Bibliotheca Lichenologica*, 12, Cramer, Vaduz (1979).
11. Steiner, M., Poelt, J., *Caloplaca sect. Xanthoriella sect. nov.: Untersuchungen über die "Xanthoria lobulata Gruppe"* (Lichenes, Teloschistaceae), *Pl. Syst. Evol.*, 140, 151-177 (1982).
12. John, V., *Flechten der Türkei I. Türkiye Likenleri I. Das die Türkei betreffende lichenologische Schrifttum, Türkiye Likenleri ile ilgili Literatur*, Pollichia, Bad Dürkheim (1992).
13. John, V., *Flechten der Türkei IV. Türkiye Likenleri IV. Ergänzungen zum die Türkei betreffenden lichenologischen Schrifttum, Türkiye Likenleri ile ilgili Literatüre ilaveler*, Pollichia, Bad Dürkheim (1992).